Review

Omega (Westport)

•

. 2022 Oct 18:302228221133496.

doi: 10.1177/00302228221133496. Online ahead of print.

A Systematic Review and Metaanalysis of Attitudes of Iranian Nurses and Related Factors Towards End-Of-Life Care

Mohammad Javad Ghazanfari¹, Samad Karkhah², Parinaz Shahroudi³, Aghil Mollaei⁴, Maryam Niksolat⁵, Afsaneh Foolady Azarnaminy⁶, Amir Emami Zeydi⁷ Affiliations collapse

Affiliations

- Department of Medical-Surgical Nursing, School of Nursing and Midwifery, Kashan University of Medical Sciences, Kashan, Iran.
- ²549118Department of Medical-Surgical Nursing, School of Nursing and Midwifery, Guilan University of Medical Sciences, Rasht, Iran.
- ³Department of Surgical Technology, Guilan University of Medical Sciences, Rasht, Iran.
- ⁴Student Research Committee, Faculty of Health, Mazandaran University of Medical Sciences, Sari, Iran.
- ⁵Firoozabadi Clinical and Research Development Unit, 440827Iran University of Medical Sciences, Tehran, Iran.
- Department of Anesthesiology and Ccritical Care Medicine, Social Security Organization Hospital, Ardabil, Iran.
- Department of Medical-Surgical Nursing, Nasibeh School of Nursing and Midwifery, 92948Mazandaran University of Medical Sciences, Sari, Iran.
- PMID: 36254820
- DOI: <u>10.1177/00302228221133496</u>

Abstract

This meta-analysis aimed to summarize the evidence regarding attitudes of Iranian nurses and related factors towards end-of-life (EOL) care. PubMed, Web of Science, Scopus, Magiran, Iranmedex, Scientific Information Database, and Google Scholar search engine were searched using Persian and English appropriate keywords from the earliest records up to September 11, 2020. A total of 849 nurses were included in six studies. After a meta-analysis of the mean score of nurses' attitudes, the pooled mean was 80.07 out of 120 ($Q_{(5)}$ =4.32, I-squared=0.00%; 95%CI: 73.53-86.60; p < 0.001). Marital status, ward type, education level, a history of participating in EOL care workshops, personal study of EOL care, experience of caring for a dying family member or close people, natural and approach acceptance, fear of death, and professional autonomy had a significant positive relationship with nurses' attitudes towards EOL care. Therefore, further large-scale studies considering potential confounding variables are needed to confirm our findings.

Keywords: Iran; hospice care; nurses; palliative care; systematic review.

PubMed Disclaimer

Similar articles

 Knowledge, attitude, and practice of Iranian nurses towards pressure ulcer prevention: A systematic review.

Emami Zeydi A, Ghazanfari MJ, Esmaeili S, Mobayen M, Soltani Y, Emami Sigaroudi A, Fast O, Karkhah S.J Tissue Viability. 2022 Aug;31(3):444-452. doi: 10.1016/j.jtv.2022.06.004. Epub 2022 Jun 14.PMID: 35718594 Review.

• Clinical competence of Iranian nurses: A systematic review and meta-analysis.

Emami Zeydi A, Ghazanfari MJ, Azizi E, Darvishi-Khezri H, Mortazavi H, Osuji J, Karkhah S.J Educ Health Promot. 2022 Mar 23;11:102. doi: 10.4103/jehp.jehp_352_21. eCollection 2022.PMID: 35573626 Free PMC article. Review.

Clinical nurses' attitudes towards death and caring for dying patients in China.

Wang L, Li C, Zhang Q, Li Y.Int J Palliat Nurs. 2018 Jan 2;24(1):33-39. doi: 10.12968/ijpn.2018.24.1.33.PMID: 29368558

• Nurses' professional autonomy and attitudes toward caring for dying patients in South-East Iran.

Iranmanesh S, Razban F, Ghazanfari Z, Nejad AT.Int J Palliat Nurs. 2014 Jun;20(6):294-300. doi: 10.12968/ijpn.2014.20.6.294.PMID: 25040865

• Prevalence of low back pain in Iranian nurses: a systematic review and metaanalysis.

Azizpour Y, Delpisheh A, Montazeri Z, Sayehmiri K.BMC Nurs. 2017 Sep 11;16:50. doi: 10.1186/s12912-017-0243-1. eCollection 2017.PMID: 28912666 Free PMC article.

See all similar articles

Publication types

Review

0

0

Related information

MedGen

LinkOut - more resources

- Full Text Sources
- o Atypon